

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024

Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: Gelcoat Premium One Step Polish Improved Formulation
- · Article number: 24016
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Grinding and polishing agents

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Menzerna polishing compounds GmbH & Co. KG Industriestraße 25 76470 ÖTIGHEIM GERMANY sds@menzerna.com Tel.: +49 (0) 7222 9157-0 www.menzerna.com

· Further information obtainable from: Product and Environmental Safety Department

1.4 Emergency telephone number: CHEMTREC: +1 703-741-5970 / 1-800-424-9300 CCN 842438

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 64742-55-8 EINECS: 265-158-7 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic	10-25%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one	≥0.025-<0.05%
	•	(Contd. on nade 2)



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024

Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

		(Contd. of page 1)
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≥0-<0.0015%
EINECS: 220-239-6	 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % 	

· Additional information:

CAS: 64742-55-8: Note L: The harmonised classification as a carcinogen is made unless it can be shown that the substance contains less than 3% dimethyl sulphoxide extract as measured by method IP 346 ("Determination of polycyclic aromatics in unused lubricating oils and asphalt-free petroleum fractions - Dimethyl Sulphoxide Extraction Refractive Index Method", Institute of Petroleum, London).Result: : DMSO extract < 3% according to method IP 346

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of toxic substances cannot be excluded, e.g. Carbon monoxide, carbon dioxide

- \cdot 5.3 Advice for firefighters Adapt extinguishing measures to the surroundings.
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

• 6.2 Environmental precautions: No special measures required.



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

 \cdot 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

DITEEO			
CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic			
Inhalative	DNEL	1.19 mg/m3 (general population)	
	DNEL, worker, inhalativ	5.58 mg/m3	
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
Dermal	DNEL, general population, dermal	0.345 mg/kg KG/d (general population)	
	DNEL, worker, dermal	0.966 mg/kg KG/d (worker)	
Inhalative	DNEL	1.2 mg/m3 (general population)	
	DNEL, worker, inhalativ	6.81 mg/m3 (worker)	
PNECs			
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
PNEC (Sewage plant) 1.03 mg/l			

PNEC (Sewage plant)	1.03 mg/l
PNEC (Sewage plant) PNEC (freshwater)	4.03 µg/l
PNEC (seawater)	0.000403 mg/l
sediment (freshwater)	
Sediment (seawater)	0.00499 mg/kg
soil	3 mg/kg

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

(Contd. of page 3)

Trade name: Gelcoat Premium One Step Polish Improved Formulation

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

The design of body protection equipment must be selected specifically for the workplace, depending on the concentration and quantity of hazardous substances.

Respiratory protection:

Not required if used as intended. Ventilate work area well. Respiratory protection is required if dusts/ vapours/aerosols develop or if there is an increased concentration in the air (filter class according to DIN EN 143 and DIN EN 14387). Observe wearing time limits.

- Hand protection

As a rule, one does not come into direct contact with the product during use.

Protective gloves must not be worn if there is a risk of the protective glove being drawn into rotating or linearly moving machine parts.

Recommendation for short-term exposure: chemical-resistant protective gloves (according to the specifications of VO (EU) No. 2016/425 and DIN EN 374).

Material of gloves

Recommended thickness of the material: ≥ 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Penetration time of glove material

≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Frame goggles with side protection (according to DIN EN 166:2001, Personal eye protection - Requirements).

• Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties		
· General Information		
· Physical state	Fluid	
· Colour:	White	
· Odour:	Mild	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
Boiling point or initial boiling point and boiling		
range	100 °C (212 °F) (CAS: 7732-18-5 water, distilled,	
-	conductivity or of similar purity)	
· Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	>150 °C (>302 °F)	
Decomposition temperature:	Not determined.	
[•] pH at 20 °C (68 °F)	7-10	
	(Contd. on page 5)	

(Contd. on page 5)



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024

Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

	(Contd. of page 4
Viscosity:	
Kinematic viscosity at 40 °C (104 °F)	>20.5 mm ² /s
Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
 Partition coefficient n-octanol/water (log value) 	
· Vapour pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg) (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
 Density and/or relative density 	
Density at 20 °C (68 °F):	1.14 g/cm³ (9.51 lbs/gal)
Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	DMSO extract < 3% according to method IP 346
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.00 %
Change in condition	
· Softening point/range	
Oxidising properties	Not determined.
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
[·] Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammab	
gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity None under normal conditions.



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

(Contd. of page 5)

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met

· LD/LC50 values relevant for classification:

CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 670-784 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic			
EL50 (48h)	>10,000 mg/l (daphnia)		
LL50 (96h)	>100 mg/l (pimephales promelas)		
NOEL	>100 mg/l /3 d (Pseudokirchneriella subcapitata)		
NOEL (21d)	NOEL (21d) >10 mg/l (daphnia)		
CAS: 2634-33-5 1,2	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
LC50/96h	2.2 mg/l (Oncorhynchus mykiss)		
EC50 (48h) (static)	0.643 mg/l (daphnia)		
EC50 (72h)	0.11 mg/l (Selenastrum capricornutum)		
EC50 (96h) (static)	0.9893 mg/l (Mysidopsis bahia)		
	(Contd. on page 7)		

Page 6/9



Page 7/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version numb

Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

(Contd. of page 6)

NOEC (72h)	0.0403 mg/l (Pseudokirchneriella subcapitata)
NOEC (96h) (static)	0.25 mg/l (Mysidopsis bahia)
NOEC (21d)	1.2 mg/l (daphnia)
NOEC (28d)	0.21 mg/l (Oncorhynchus mykiss)
ErC50 (72h)	0.11 mg/l (Selenastrum capricornutum)

• **12.2 Persistence and degradability** No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR/RID, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR/RID, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR/RID, IMDG, IATA 	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
		(Contd. on page 8)



Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

(Contd. of page 7)

Trade name: Gelcoat Premium One Step Polish Improved Formulation

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (in the currently valid version) Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures (in the

Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures (in the currently valid version)

Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

The information in the safety data sheet applies only to the product described in connection with its intended use. The information is based on the current state of our knowledge. In particular, they serve to describe our product with regard to the hazards it presents and the applicable safety precautions. They do not represent any assurance of product and quality properties. The information in this safety data sheet is required in accordance with Article 31 and Annex II of Regulation (EC) No 1907/2006.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.



Page 9/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.06.2024 Version number 3.5 (replaces version 3.4)

Revision: 12.06.2024

Trade name: Gelcoat Premium One Step Polish Improved Formulation

(Contd. of page 8) H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. · Department issuing SDS: Product and Environmental Safety Department · Date of previous version: 18.04.2023 · Version number of previous version: 3.4 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 * * Data compared to the previous version altered. EU