



Safety Data Sheet

Issue Date: 18-Nov-15
Revision Date: 01-Jan-2021

1, PRODUCT IDENTIFICATION	
Material Name	925 Fiberglass Boat Wax
Product Number	925
Use	Last Step Gel Protectant for Marine, RV, Aeronautical
Company	Collinite Corporation 1520 Lincoln Ave Utica, NY 13502
Telephone	315-732-2282
Emergency Telephone	315-732-2282
2, HAZARDS IDENTIFICATION	
GHS Classification	Flammable liquids
GHS Label element	Category 4
Signal Word	None
Hazard Statements	Warning
H227	Combustible liquid
Precautionary Statements	P210
P273	Keep away from heat/sparks/open flames/ hot surfaces. No smoking.
P280	Avoid release to the environment.
P301 + P310	Wear protective gloves/protective clothing/ eye protection/face protection.

3, COMPOSITION/INFORMATION ON INGREDIENTS	
Substances	Mixture
Hazardous ingredients	
Chemical Name	Petroleum distillates, hydrotreated light
CAS #	64742-47-8
EC #	265-149-8
Index #	649-422-00-2
Concentration	40 - 80%
4, MEASURES FIRST AID	
General Advice	
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.	
If Inhaled	
Move person into fresh air. If not breathing give artificial respiration. Consult a physician.	
In case of skin contact	
Wash off with soap and plenty of water. Consult a physician	
In case of eye contact	
Flush eyes with water.	
If swallowed	
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.	
Most important symptoms and effects both acute and delayed	
The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.	
Indication of any immediate medical attention and special treatment needed	

P331	IF SWALLOWED: immediately call a POISON CENTER or doctor/physician.
P370 + P378	Do NOT induce vomiting.
	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.

	No date available
--	-------------------

P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an approved disposal plant.
Hazards not otherwise classified (HNOC) or not covered by GHS	none

5, FIRE FIGHTING MEASURES	
Suitable extinguishing media	
Dry sand, dry chemical, alcohol-resistant foam, CO ₂	
Special hazards arising from the substance or mixture. Oxides of carbon with combustion	
Advice for firefighters	
Wear self-contained breathing apparatus for firefighting if necessary.	
Further information	
Use water spray to cool unopened containers.	

6, ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective equipment and emergency procedures	
Use personal protective equipment. Avoid breathing vapors, mist, or gas.	
Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
For personal protection see section 8.	
Environmental precautions	
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.	

8, PERSONAL PROTECTION/EXPOSURE CONTROL	
Control Parameters	
Chemical Name	Petroleum distillates, hydrotreated light
CAS #	64742-47-8
EC #	265-149-8
Index #	649-422-00-2
OSHA Occupational Exposure Limits TWA	500 ppm
ACGIH Threshold Limit Value TWA	200 mg/m ³
Personal protective equipment	

Methods and materials for containment and cleaning up
 Contain spillage and then collect with a electrically protected vacuum
 cleaner or by wet-brushing. Place collected material in container for
 disposal according to local regulations (see section 13). Keep in suitable closed
 containers for disposal
 For disposal see section 13.

Eye/Face protection
 Use goggles. Eye wash stations should be available.
 Skin protection
 Use chemical resistant gloves. A safety shower should be avai
 Wash with soap and water if skin contact occurs.
 Respiratory protection

Maintain adequate ventilation to comply with regulatory limits. If limits are

exceeded use NIOSH approved breathing apparatus.

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep
 away from sources of ignition. Do not smoke. Take measures to prevent the
 build up of electrostatic charge.
 Conditions for safe storage including any incompatibilities
 Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent
 leakage.

Control of environmental exposure
 Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
 Discharge into the environment must be avoided.

925 Fiberglass Boat Wax
Appearance

Viscous, yellowish paste

Collinite Corp.

Odor

Pungent

Reactivity

No data available

Odor threshold

no data available

Chemical stability

Stable under recommended storage conditions

pH

5

Possibility of hazardous reactions

No data available

Melting point/freezing point

no data available

Conditions to avoid

Heat, flames and sparks

Boiling point

90-130 °C

Incompatible materials

Flash point

75 °C TCC

Strong oxidizing agents

Evaporation rate

no data available

Hazardous decomposition products Oxides of carbon

Flammability

Combustible
(Flammable liquid Class 4) no data available

Upper explosion limit

no data available

Lower explosion limit

no data available

Vapor pressure

no data available

Relative vapor density

no data available

Relative density

0.82

Solubility

Insoluble in water

Partition coefficient:
n-octanol/water

no data available

Auto ignition temperature

no data available

Decomposition temperature

no data available

Viscosity

23,750 cps

Explosive properties

not explosive

11, TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

Rabbit: no skin irritation 4 hr

Serious eye damage/irritation Rabbit:
no eye irritation

Respiratory or skin sensitization

Draize Test - Guinea pig: does not cause skin sensitization

Germ cell mutagenicity

Reverse mutation assay - S. typhimurium: negative

Carcinogenicity

IARC Group 3, not classifiable as to its carcinogenicity to humans.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.

925 Fiberglass Boat Wax		Collinite Corp.	
Oxidizing properties	non-oxidizing		
Molecular weight	no data available	Reproductive toxicity No data available	
VOC Content (%)	no data available	Specific target organ toxicity, single exposure No data available	
		Specific target organ toxicity, repeated exposure No data available	

12, ECOLOGICAL INFORMATION	15, REGULATORY INFORMATION
<p>Toxicity to fish</p> <p>No data available</p> <p>Toxicity to daphnia and other aquatic invertebrates</p> <p>Not toxic</p> <p>Persistence and degradability</p> <p>No data available</p>	<p>SARA 302 Components</p> <p>No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.</p> <p>SARA 313 Components</p> <p>This material does not contain any chemical components with know CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.</p>

<p>Bio accumulative potential</p> <p>No data available</p> <p>Mobility in soil</p> <p>No data available</p> <p>Results of PBT and vPvB assessment</p> <p>Not available and not required</p> <p>Other adverse effects</p> <p>An environmental hazard can not be excluded in the event of unprofessional handling or disposal.</p>	<p>SARA 311/312 Hazards</p> <p>Fire hazard</p> <p>California Proposition 65 Components</p> <p>None known</p>						
	<div>16, Other Information</div> <p>HMIS rating</p> <p>NFPA rating</p> <table> <tr> <td>HEALTH</td> <td>0</td> </tr> <tr> <td>FLAMMABILITY</td> <td>2</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td>0</td> </tr> </table>	HEALTH	0	FLAMMABILITY	2	PHYSICAL HAZARD	0
HEALTH	0						
FLAMMABILITY	2						
PHYSICAL HAZARD	0						
13, DISPOSAL CONSIDERATIONS							

Product
This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and nonrecyclable solutions to a licensed disposal company.

Contaminated packaging
Dispose of as unused product.

14, TRANSPORT INFORMATION	
DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated



this Safety Data Sheet is correct to the best of and belief at the date of publication. The y as a guidance for safe handling, use, ortation, disposal and release and shall not be uality specification of any type. The s only to the specific material identified at the t be valid when the SDS material is used in materials or in any process, unless specified in ould review the information and ecific context of their intended manner of nd storage, including an assessment of the S material in the user's end product, if