Safety Data Sheet



91481 Invisible Glass® Rain Repellent Glass Trmnt **DUIL** Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy.	Product Name: Product Code:	Invisible Glass® Rain Repellent Glass Trmnt 91481		
Quarryville, PA 17566	Product Use:	Rain Repellant Glass Treatment		
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]		
2. HAZARD IDENTIFICA	ATION			
POTENTIAL HEALTH EFFECTS				
lassification of the chemical in acc GHS Hazard Symbols	cordance with paragraph (d) of §1910.1200;			
•	•	•		
GHS Classification	Flammable Liquid Category 2			
	Serious Eye Damage/Eye Irritation Category 2A			
	Reproductive Toxicity Category 2 Specific Target Organ Systemic Toxicity (STOT)	- Single Exposure Category 3		
	specific Target organ byseline Toxicity (5101)	Single Exposure Category 5		
Signal Word	Danger			
Hazard Statements	Highly flammable liquid and vapour.			
	Causes serious eye irritation. May cause drowsiness or dizziness.			
	Suspected of damaging fertility or the unborn child.			
Precautionary Statements				
-				
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have bee	en read and understood.		
	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.			
	Keep container tightly closed. Ground/bond container and receiving equipment.			
	P241 - Use explosion-proof electrical, ventilating and lighting equipment.			
	Use only non-sparking tools.			
	Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray.			
	P264 - Wash thoroughly after handling.			
	Use only outdoors or in a well-ventilated area.			
	Wear protective gloves/protective clothing/eye pro-	nection/tace protection.		
Response		tely all contaminated clothing. Rinse skin with water/shower.		
	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
	IF exposed or concerned: Get medical advice/attention.			
	P312 - Call a poison center, doctor or medical center if you feel unwell.			
	If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use proper media to extinguish.			
Storage	Keep container tightly closed.			
Storage	Store in a well-ventilated place. Keep container tig	shtly closed.		
	Store in a well-ventilated place. Keep cool.	· ·		
	Store locked up.			
Disposal		local/regional/national/international regulation for hazardous		

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	<u>CAS #</u>	Percent	
Dimethyl carbinol	67-63-0	40 - 60	
Ethyl alcohol	64-17-5	20 - 40	
2-propanone	67-64-1	20 - 40	
HMIS® III* HAZARDOUS V	VARNINGS:		
Health: 1	Flammability: 3	Physical: 1	Personal See Section 8 Protective

Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

- Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.
- Ingestion: Do not induce vomiting. Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek immediate medical attention. Continue your efforts until help arrives or the victim starts to breathe on his own. Do not leave victim alone.

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; liver; blood forming system;

5. FIRE FIGHTING MEASURES			
Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other		
Fire Fighting Instructions:	flames and ignition sources at locations distant from the material's handling point. Use water spray, foam, dry chemical, or CO2. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.		

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Wear proper protective equipment. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death. Do not use near ignition sources. Protect container against physical damage.

Storage: Keep container tightly closed when not in use. Empty container may contain residues which are hazardous. Store in a cool, dry, well ventilated area away from all sources of ignition. Normal precautions common to safe manufacturing practice should be followed in handling and storage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded.				
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.				
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.				
Respiratory Protection:	A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.				
COMPONENT	NENT CAS # ACGIH TLY OSHA PEL OTHER				
Dimethyl carbinol	67-63-0	400 ppm	400 ppm	500 ppm STEL	
Ethyl alcohol	64-17-5	1000ppm TWA	1000ppm TWA	Not established	
2-propanone	67-64-1	500 ppm TWA	Not established	Not established	

9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk liquid

Alcohol

Mild

66.2

60 - 80

Clear Colorless

Not applicable

No data available

No data available

Not determined

No data available

Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%):

10. STABILITY AND REACTION

Chemical Stability:	Stable.
Conditions to Avoid:	Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces.
	Acetaldehyde. Acids. Chlorine. Ethylene oxide. Isocyanates. Strong oxidizing agents. Peroxides. Alkaline earth metals.
	Strong acids. Contact with nitric and sulfuric acids will form nitocresols that can decompose violently.
Decomposition Products:	Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

Lower Flammability Limit (%):

Upper Flammability Limit (%):

Vapor Pressure (PSIG @ 70°F):

Autoignition Temperature (°F):

Decomposition Temperature (°F):

Vapor Density [air = 1]:

Solubility in Water:

octanol/water:

Partial Coefficient: n-

Viscosity, dynamic (cSt):

Relative Density (H2O=1):

2

19

> 1

0.81

Not determined

Not determined

Not applicable

No data available

No data available

No data available

11. TOXICOLOGICAL INFORMATION

Dermal Toxicity: Inhalation Toxicity: Reproductive &	 Not irritating to skin. High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death. No data available. m: Monograph 96 [2010], Monograph 100E [2012] 		
Developmental Toxicity: IARC Carcinogen Designation:			
Ingredient	CAS #	Toxicological Data	
Isopropanol	67-63-0	Dermal LD50 Rabbit > 12800 mg/kg	
		Oral LD50 Rat = 5000 mg/kg	
		Inhalation LC50 (4h) Rat $>$ 40 mg/L	
Ethanol	64-17-5	Dermal LD50 Rat 6 g/kg	
		Inhalation LC50 (4h) Mouse 39 mg/L	
2-propanone	67-64-1	Dermal LD50 Rat > 7426 mg/kg	
		Oral LD50 Rat = 5800 mg/kg	
		Inhalation LC50 (4h) Rat > 76 mg/L	
propyl acetate	109-60-4	DERMAL LD50 Rabbit 20 ml/kg	
		ORAL LD50 Rabbit 6640 mg/kg	
		ORAL LD50 Mouse 8300 mg/kg	
		ORAL LD50 Rat 9370 mg/kg	

12. ECOLOGICAL INFORMATION

Ecological Toxicity: Mobility:	mobile and may contaminate ground water.	ponents), dissolves in water. If it enters the soil, it will be highly
Degradability:	No data available.	
Ingredient	CAS #	Toxicological Data
Dimethyl carbinol	67-63-0	Aquatic LC50 (96h) MINNOW = 9640 mg/L
		24HR EC50 Daphnia > 10000 mg/L
Ethanol	64-17-5	Aquatic LC50 (96h) Rainbow Trout 12000 - 16000
		mg/L
		48HR EC50 Daphnia > 10000 mg/L
2-propanone	67-64-1	Aquatic LC50 (48h) Rainbow Trout = 6100 mg/L
		48HR EC50 Daphnia = 7630 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1219	Flammable Liquids, n.o.s. (contains Isopropanol, Ethanol)	3	II
IATA	UN1219	Flammable Liquids, n.o.s. (contains Isopropanol, Ethanol)	3	Π
IMDG	UN1993	Flammable liquids, n.o.s.(contains Isopropanol, Ethanol)	3	II

15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS # % BY WEIGHT

 No components listed in this section.
 SARA Section 313

Stoner Incorporated

91481

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 10/07/16

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.